

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		select\$4 same (media sheet paper medium) same (tray bin) same same associat\$4 same (passcode password code id identificat\$4 identif\$4 pass\$word pass\$code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:57
		request\$3 same ent\$4 same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:22
		(limit\$4 control\$4) same (access\$3 us\$4) same (media paper sheet medium) same tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/06 20:09
		(limit\$4 control\$5) same (access\$3 us\$4) same (media paper sheet medium) same tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/06 20:09
		(limit\$4 control\$5) same (access\$3 use) same (media paper sheet medium) same tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/06 20:09
S2	936	user same (defin\$4 input\$4 select\$3 creat \$4) same (passcod\$3 (pass adj cod\$3) id identific\$4 identif\$3) same tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:15
S3	2	"20050088679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:16

S4	1	S3 and (associat\$4 same network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:16
S5	10145	receiv\$4 same tray same select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:20
S6	6661	receiv\$3 same access \$3 same lock\$3 same select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:20
S7	123364	request\$3 same (enter \$3 input\$4 entr\$3) same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:23
S8	123364	request\$3 same (enter \$3 input\$4 entr\$3) same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:23
S9	122356	request\$3 same (enter \$3 input\$3 entr\$3) same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:24
S10	122356	request\$3 same (enter \$3 input\$3 entr\$3) same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:24
S11	690	S6 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:25

S12	928141	(receiv\$4 input\$4) same (enter\$3 input\$3 entr\$3) same (target code passcode (pass \$code) (pass adj code) id identificat\$4 identif \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:25
S13	825379	stor\$4 same (target code passcode (pass \$code) (pass adj code) id identificat\$4 identif \$4) same (storage memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:26
S14	161	job same access\$4 same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4) same (relat\$4 match\$3 equal) same (target tray) same (target code passcode (pass \$code) (pass adj code) id identificat\$4 identif \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:29
S15	90	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:29
S16	70	S12 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:29
S17	38	S10 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:30
S18	216	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:30

S19	1	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:30
S20	4	S2 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:31
S21	445	S2 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:32
S22	9	S18 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:32
S23	65	S2.ab. S2.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 20:35
S24	57920	request\$3 same user same (enter\$3 input\$4 entr\$3) same (target code passcode (pass \$code) (pass adj code) id identificat\$4 identif \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:12
S25	130	S2 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:13
S26	1	S14 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:13

S27	36926	(tray bin) same lock\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:42
S28	133	user same (defin\$4 creat\$4) same (access \$4 control\$4) same tray same lock\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:43
S29	6	S24 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:44
S30	870	user same (defin\$4 creat\$4) same (access \$4 control\$4) same tray same (access\$3 lock\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:45
S31	1271	user same (defin\$4 creat\$4) same (access \$4 control\$4) same (bin tray) same (access \$3 lock\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:46
S32	160	S24 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:46
S33	6	S5 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:46
S34	38315	request\$3 same user same (creat\$4 defin \$4) same (target code passcode (pass\$code) (pass adj code) id identificat\$4 identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:50

S35	142	S31 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:51
S36	78	S32 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 21:52
S37	52905	gordon.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 11:37
S38	11315	(user operator client costumer) same (bin tray) same (id password code pass \$code identif\$4 identific \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 11:39
S39	30	S37 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 11:40
S40	67907	"358"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 12:10
S41	122	S37 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 12:10
S42	2061	(limit\$4 control\$4) same (access\$3 use usag\$4) same (media paper sheet medium) same tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:44

S43	0	S42 and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:47
S44	10871	(limit\$4 control\$4) same (access\$3 use usag\$4) same (bin tray)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:48
S45	0	S41 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:48
S46	1549	S38 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:49
S47	350	S42 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:49
S48	68	S40 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 12:50
S49	846	user same (select\$4 defin\$4 creat\$4) same (passcode code id identific\$4 identif\$4 pass\$code) same (access\$4 lock\$4) same (tray bin mailbox)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 13:15
S50	7828	grant.xp. grant.xa.	USPAT	OR	OFF	2010/05/07 13:18
S51	34	S37 and S50	USPAT	OR	OFF	2010/05/07 13:19

S52	21	S51 and (tray bin id passcode password id identif\$4 identicat\$4 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 13:25
S53	46	user adj5 (defin\$4 creat\$4 select\$3) adj9 (access\$3 lock\$3) adj13 (tray bin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 13:54
S54	531	popovici.xa. popovici. xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 13:59
S55	0	S49 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 14:00
S56	4	S44 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 14:00
S57	2025	request\$3 adj4 user adj4 (enter\$3 input\$4 entr\$3) adj12 (target code passcode (pass \$code) (pass adj code) id identificat\$4 identif \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 15:09
S58	13099	(limit\$4 control\$4) same (access\$3 use usag\$4 lock\$3) same tray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:21
S59	2	S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:22

S60	42	S53 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:23
S61	2	"20050088679".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/07 15:52
S62	2	S61 and (defin\$4 creat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:52
S63	509	select\$4 same (media sheet paper medium) same (tray bin) same associat\$4 same (passcode password code id identificat\$4 identif\$4 pass\$word pass\$code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:57
S64	148	S58 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/07 15:58

EAST Search History (I nterference)

< This search history is empty >

5/ 9/ 2010 9:13:49 PM**H:\ EASTdocS\ 10692375.2a.wsp**